



Nordgren

Sales

www.nordgrensales.se



Pricelist for the LCD Monitor&DVD Player

Item Number	Product picture	Specification	FOB(sz)) USD	Color box size(L*W*H)cm	Outside package Carton size(L*W*H)cm	N.W(KG)	G.W(KG)	MOQ
Universal Stand-alone monitor								
TM511S		<p>Panel: 5-inch SAMSUNG TFT LCD monitor</p> <p>System: PAL & NTSC auto-switch</p> <p>Video input: Two AV input V1/V2,</p> <p>Audio Input/output: 1 way</p> <p>Remote control: With Remote Control, OSD menu</p> <p>Brightness: 450---500 cd/m²</p> <p>Accessories: one installation headrest frame one plastic stand /one wind opening installation stand one remote control/one connection wire</p>	50	25.5*16*6.5	53*32.5*18(10 in 1)	7.5	8	500
TM564A		<p>Panel: 5.6-inch AU TFT LCD monitor</p> <p>System: PAL & NTSC auto-switch</p> <p>Video input: Two AV input V1/V2, Audio Input/output: 1 way</p> <p>Remote control: With Remote Control, OSD menu</p> <p>Power supply: DC12V Brightness: 300---400 cd/m²</p> <p>Accessories: one headrest installation frame/one plastic stand one vent clip/one remote control/one connection wire</p>	52	32*18*6.5	63*32.8*19.5(10 in 1)	9.2	10	500

Nordgren

Sales

www.nordgrensales.se



Pricelist for the LCD Monitor&DVD Player

Item Number	Product picture	Specification	FOB(sz)) USD	Color box size(L*W*H)cm	Outside package Carton size(L*W*H)cm	N.W(KG)	G.W(KG)	MOQ
TM-7003A		<p>7-inch new TFT LCD monitors System: PAL & NTSC auto-switch Video input: Two AV input V1/V2, Remote control: With Remote Control, OSD menu Brightness: 250---300 cd/m² With MMI port Accessories: one installation headrest frame one plastic stand,one wind opening installation stand one remote control, one connection wire</p>	51	30*18*6	33*32.8*19.5(10 in 1	9.2	9.9	500
LTV-700		<p>7" TFT LCD LG new panel 16:9 PAL/NTSC/SECOM system Display resolution: 1440 x 234 Brightness: 300CD/M The adjustment items: brightness, contrast, resolution, color, volume (0-100) TV receiving: all channels subjoin function 2 video inputs V1/V2 1 audio input Built-in speaker, earphone jack Multi-language (DEU/ENG/Chinese/ITA/ESP/PORTU/ARB/PYC) Calendar/Auto switch/Games Operation temperature: 1-40 Storage temperature: 20-60 Accessories: remote control, connection wire, user menu, car adaptor ,stand, gift box</p>	62	30*18*6.5	33*32.8*19.5(10 in 1	10	11	200



Nordgren

Sales

www.nordgrensales.se



Pricelist for the LCD Monitor&DVD Player

Item Number	Product picture	Specification	FOB(sze) USD	Color box size(L*W*H)cm	Outside package Carton size(L*W*H)cm	N.W(KG)	G.W(KG)	MOQ
TM-868		<p>Size:8" AV color touch screen Display:color TFT lcd Resolution of the screen:640*(R.G.B)*480 Audio output:150mw(max) Speaker:one circle 4.0 CM speaker Connector:earphone socket,audio/video,outdoor antenna adaptor connector Input socket:outside power supply input socket Power supply:two options,A/C adaptor,car battery(12V) Power consumption:About 10W Accessories:A/C adaptor,remote control,video wire,user manual,universal stand,antenna switching head</p>	112	24*25.5*7	1.6*27.3*25.5(10 in 1)	14.5	15.6	100
TM56B		<p>5.6" GAUGE METER COLOR MONITOR Function: 1)、 Video input: Two AV input V1/V3 AND Mono. 2)、 Three keys on product for manual control and remote control 3)、 AV2 is the system default video, In SYSTEM 2 ,It will automatic shift realview mirror image (MD plug 2 connect one cable, yellow plug AV1,red plug is V2,which is the default video), 4)、 When connects AV2 at default mirror image, adjust the simulation quantity,the DSD menu in automatically as the correct character, after disappear for 1~2 shows seconds, picture will be automatically shift to mirror image DSD menu. 5)、 The monitor will display blue screen when there is no signal input and it will turn off automatically after the sign situation lasts over several minutes.</p>	58	32*25*6	34*31.6*26.85 in 1)	8	8.8	500




Nordgren

Sales

www.nordgrensales.se



Pricelist for the LCD Monitor&DVD Player

Item Number	Product picture	Specification	FOB(sz) USD	Color box size(L*W*H)cm	Outside package Carton size(L*W*H)cm	N.W(KG)	G.W(KG)	MOQ
TM70B		<p>7" GAUGE METER COLOR MONITOR</p> <p>Function:</p> <p>1)、 Video input: Two AV input V1/V3 AND Mono.</p> <p>2)、 Three keys on product for manual control and remote control</p> <p>3)、 AV2 is the system default video, In SYSTEM 2 ,It will automatic shift realview mirror image (MD plug 2 connect one cable, yellow plug AV1,red plug is V2,which is the default video),</p> <p>4)、 When connects AV2 at default mirror image, adjust the simulation quantity,the DSD menu in automatically as the correct character, after disappear for 1~2 shows seconds, picture will be automatically shift to mirror image DSD menu.</p> <p>5)、 The monitor will display blue screen when there is no signal input and it will turn off automatically after the sign situation lasts over several minutes.</p>	62	32*25*6	34*31.6*26.85 in 1)	9	10	500
headrest monitor								
TM56TA		<p>Screen: TFT 5.6 inch Au new screen</p> <p>Headrest mobile TFT monitor</p> <p>With Remote Control, OSD menu</p> <p>LCD displaying on the front panel.</p> <p>Brightness: 350—400cd/m²</p> <p>Video: Two AV input V1/V2</p> <p>Accessories: remote control 1pc , connection wire 1pc, Headrest band 2pcs</p>	52	30*18*6	63*32。 8*19。 5	10	11	500
IC-600T		<p>1. Dot pitch: 0.339 x 0.359mm</p> <p>2. Resolution: 400(H) x 234(V)</p> <p>3. Contrast: 350:1</p> <p>4. OSD menu language: Chinese, English</p> <p>5. Functions: a) AV b) Can be used as headrest of desktop LCD</p> <p>6. 6 inch screen</p>	42	N/A	N/A	N/A	N/A	N/A




Nordgren

Sales

www.nordgrensales.se



Pricelist for the LCD Monitor&DVD Player

Item Number	Product picture	Specification	FOB(sz) USD	Color box size(L*W*H)cm	Outside package Carton size(L*W*H)cm	N.W(KG)	G.W(KG)	MOQ
IC-703T		1. Dot pitch: 0.107 x 0.370mm 2. Resolution: 480(H) x 234(V) 3. Contrast: 400:1 Brightness: 400cd/sqm 4. Adjustable items: brightness, contrast, color, 5. Power supply: DC+12V±10% 6. 7' inch Screen	49	N/A	N/A	N/A	N/A	N/A
Sun-visor monitor								
TM-700ZA		Screen: TFT 7" inch new screen , Sun-visor mobile TFT monitor , With Remote Control, OSD menu , LCD displaying on the front panel. Available to control the SANYO multi-CD player Brightness: 350—450cd/m ² Video: Two AV input V1/V2 Accessories: remote control 1pc , connection	51	32*19*7	59*34*21.5(8 in 1)	5.9	6.6	500
Ceiling-mount monitor								
TM704X		Screen Size: 7" inch Sharp recycle panel (Diagonal length) System: PAL & NTSC auto-switch Video input: Two AV input V1/V2, Audio Input/output: 1 way Remote control: With Remote Control, OSD menu Brightness: 250---300 cd/m ² Accessories: One fix installation board/one remote control one connection wire	59	28.5*24*6	39*34*28(10 in 1)	12.4	13.6	500



Nordgren

Sales

www.nordgrensales.se



Pricelist for the LCD Monitor&DVD Player

Item Number	Product picture	Specification	FOB(sz) USD	Color box size(L*W*H)cm	Outside package Carton size(L*W*H)cm	N.W(KG)	G.W(KG)	MOQ
TM9019		<p>Display panel: 9" Sharp recycle panel Swivel degrees: over 120 degree down, over 270 degree left/right 16:9 wide display Resolution: 800 x 480 pixels Image color: 16M true color (8 bit) Image brightness: 300-400cd/m2 Contrast: 250:1 Power supply: DC 12V from auto storage battery Power consumption: 8W Overall dimension:198 x 162 x 32mm Full-function infrared remote control: onscreen display menu Appearance colors: black, cream-yellowed and grey Operating temperature: -25 to 75 deg. C</p>	71	27.5*28*3.8	uncertain	10	11	100
TM1040		<p>Display panel: 10.4" Sharp recycle panel Swivel degrees: over 120 degree down, over 270degree left/right Display size: diagonal 10.2" (W:H=16:9) Resolution: 1,480 x 234 pixels Image color: 16M true color (8 bit) Image brightness: 380cd/m2 Contrast: 250:1 Power supply: DC 12V from auto storage battery Power consumption: 8W Overall dimension: 198 x 162 x 32mm Full-function infrared remote control: onscreen display menu Appearance colors: black, cream-yellowed and grey Operating temperature: -25 to 75</p>	92	45*38*8.5	46*39*44(5 in 1)	14	14.5	100


Nordgren

Sales

www.nordgrensales.se



Pricelist for the LCD Monitor&DVD Player

Item Number	Product picture	Specification	FOB(sz)) USD	Color box size(L*W*H)cm	Outside package Carton size(L*W*H)cm	N.W(KG)	G.W(KG)	MOQ
DVD-1020 DVD-850(with DVD player build-in)		Power supply: DC 12V Screen size: 16:9 10-inch new toshiba panel (diagonal length) Current Consumption: HH-1020CB:45W Max,HH-850CB:32W Max Resolution :1024 x768 Pixel Video System: PAL/NTSC Video input: 1EA Video Output:1EA Audio input(L/R): 2EA Audio output(L/R):2EA IR Transmitter:yes Dome Light:yes Remote Control:yes HH-850CB:(W)320 X(D)245 X (H) 43 DVD disc provide high-resolution images with high-quality sound and surround sound effects.Play CD/VCD/DVD/MP3/CD-ROM	227(D VD850) 296(D VD1020)	41*30*7	43*38*35(5 in 1)	14.5	16	100

REMARK: 1. PRICE TERM: FOB(SHENZHEN) 2. MOQ: 100PCS



Nordgren

Sales

www.nordgrensales.se



Pricelist2 for the LCD Monitor&DVD Player

Item Number	Product picture	Specification	FOB(sz) USD	Color box size (L*W*H)cm	Outside package Carton size(L*W*H)cm	N.W(kg)	G.W(kg)
In-dash monitor							
TM-716QL		<p>Main Features: Dedicate fastion design Colorfull active displaying LCD panel Clock function Screen: TFT 7" inch 16:9 au full new screen Power supply: DC 12 V Brightness: 350—400cd/m² Video: Two AV input V1/V2 Accessories: one remote control, one remote box center , one connection wire.</p>	90	24.5*24*9.5	58*31.5*30.5(5 in 1)	10	11
TM-704L		<p>Adopt TFT 7" inch 16:9 New AU panel,the panel with clock, attractive sculpt. Main Features: Screen: TFT 7" inch 16:9 Toshiba old screen Power supply: DC 12 V Brightness: 250—300cd/m² Size: Width 185× Highness 185× Thickness 55mm Weight: 1755g Video: Two AV input V1/V2 Accessories: one remote control, one connection wire</p>	65	24*23*10	58*31.5*30.5(5 in 1)	11	12



Nordgren

Sales

www.nordgrensales.se



Pricelist2 for the LCD Monitor&DVD Player

Item Number	Product picture	Specification	FOB(sz) USD	Color box size (L*W*H)cm	Outside package Carton size(L*W*H)cm	N.W(kg)	G.W(kg)
TM725QL		<p>TFT 7" 16:9 New Panasonic panel In-dash 1-din design with remote control and OSD menu LCD display on the front panel Full-automatic mechanism PAL/NTSC system Two video inputs TV tuner Accessories: remote control, connection wire, control center box</p>	101	24.5*24*9.5	58*31.5*30.5(5 in 1)	13	14
TM745QL		<p>Screen: TFT 7" inch 16:9 au SHARP LG full new screen Power supply: DC 12 V Brightness: 350—400cd/m² Size: Width 185× Highness 190× Thickness 60mm Weight: 1730g Video: Two AV input V1/V2 Requency modulation: 88m—108m Amplitude modulation: 530—1629KHZ Requency modulation: 88m—108m Amplitude modulation: 530—1629KHZ TV tuner, System: NTSC/PAL selectable Accessories: one remote control, one remote box center, one connection wire.</p>	148	24.5*24*9.5	58*31.5*30.5(5 in 1)	12	12.5


Nordgren

Sales

www.nordgrensales.se



Pricelist2 for the LCD Monitor&DVD Player

Item Number	Product picture	Specification	FOB(sz) USD	Color box size (L*W*H)cm	Outside package Carton size(L*W*H)cm	N.W(kg)	G.W(kg)
DVD756		<p>ISO Mounting chassis Compatible with DVD/VCD/CD/MP3/HDCD/CD-R/CD-RW Discs TV TUNER Electronic Shock Protection Repeat/Program/Random/Intro Play AM/FM Stereo Receiver 30 Preset Stations Auto Memory Store/Preset Scan Preset EQ(POP/ROCK/CLASSIC) Electronic Audio Controls(VOL/BAS/TRE/BAL/FAD) 2 Channel RCA Video Card Size Full function Remote CONTROL Accessories:Mounting Bracker 1pc,Nut M5 1pc Trim Ring 1pc.Remote Control&Battery 1pc Operation Manual 1pc,Connection wire 1pc</p>	237	27*25*11	60*35*34(5 in 1)	19	20



Nordgren

Sales

www.nordgrensales.se



Pricelist2 for the LCD Monitor&DVD Player

Item Number	Product picture	Specification	FOB(sz) USD	Color box size (L*W*H)cm	Outside package Carton size(L*W*H)cm	N.W(kg)	G.W(kg)
DVD065		<p>High definition with 6.5" TFT LCD display Support multi-mode TV function (PAL-DK/I/BG/M.N NTSC-M/N) Compatible with MP3/MPEG-4, DVD/DVD-R, VDC/SVCD, CD/CD-R CD-RW/JPG-CD Auto memory when power cut Multi-function remote control with OSD menu Super-advanced aseismic design Autotuning radio 4 X 45W power output Car back vision & Radar (choose) Treble L/R balance F/B tuning be adjusted</p>	212	31.5*22.5*12	66.2*33.3*24.5(5 in 1)	11.4	12.4
Car DVD PLAYER							
DVD-788		<p>Main Features: .TDF against sild folded and removed front panel .ISO Mouthing chassis .Compatible with DVD/VCD/CD/MP3/HDCD/CD-R/CD-RW Discs .Electronic shock protection .Mp3 selection by sequence number&Trace name ID Display .Repeat/program/Random/Into play .AM/FM Stereo Receiver 30 Preset Stations .Auto Memory Store/Preset Scan .Preset EQ(POP/ROCK/CLASSIC) 45Wx4 High Power Output .Electronic Audio Controls(VOL/BAS/TRE/BAL/FAD) .Mute/Loud control/clock 2 Channel RCA Pre-Amp Output .2 Channel RCA Video Output Card Size Full function Remote Control</p>	75	28*22*8.5	45.8*28*29.8(6 in 1)	11	11.5

Nordgren

Sales

www.nordgrensales.se



Pricelist2 for the LCD Monitor&DVD Player

Item Number	Product picture	Specification	FOB(sz) USD	Color box size (L*W*H)cm	Outside package Carton size(L*W*H)cm	N.W(kg)	G.W(kg)
Car TV/FM RECEIVE BOX							


Nordgren

Sales

www.nordgrensales.se



Pricelist2 for the LCD Monitor&DVD Player

Item Number	Product picture	Specification	FOB(sz) USD	Color box size (L*W*H)cm	Outside package Carton size(L*W*H)cm	N.W(kg)	G.W(kg)
FM/TV-708		<p>Working voltage: 10V-15V 2)Working Current: 180mA-220mA 3)Power Consumption: 2.5 W 4)Audio System: D/K, I, B/G, M (Full automatic) 5)TV System: PAL (50Hz), NTSC (60Hz), SECAM. Note : PAL(60Hz) can be ordered (full automatic) 6)The speed of searching TV station can be preset: (quickly search: 8 second, slowly search: 16 second) 7)Receiving channels: VHF-H (DS6---DS12, 167.0MHZ---223.0MHZ) (Z8---Z38, 223.0MHZ---471.0MHZ); UHF (DS13-DS68 470.0MHZ---958MHZ) (Note: Z is a addition channel) C.C.I.R channels: US channels: OIRT channels..... 8)Antenna input: 75Ω imbalance; 9)Video input: input impedance: 75Ω 10)Video output: output impedance: 75Ω, Vp-p=1V 11)Audio output: Frequency response: +2.5dB,(2-20KHz) S/N≥8dB(1KHz) Dynamics range: ≥70dB(1KHz) Harmonic Distortion add noise: ≤6dB (1KHz) 12) AV input function: one way outside video input, two way outside audio input (one set of RCA input); 13) Audio FM transmit function: the TV-BOX can transmit the inside TV audio and the outside audio input to TV or AV audio signal though his inside FM emitter; 14) FM emitter transmit frequency:88.3MHz and 88.9MHz can pres</p>	37	21*15*7	54.5*37.5*22(12 in 1)	12	12.8

Nordgren

Sales



www.nordgrensales.se

Pricelist2 for the LCD Monitor&DVD Player

Item Number	Product picture	Specification	FOB(sz) USD	Color box size (L*W*H)cm	Outside package Carton size(L*W*H)cm	N.W(kg)	G.W(kg)
Back mirror with camera							
6.5" back mirror		Auto reversing back-view shift(mirror) TFT-LCD display Special optical lens substitute the original Back-view Mirror Automatically shift back-view system when reversing the car Automaticlly wake up revesing back-view display Blue color background automatically appears when video signal disappears Slot device simplifiers installation and detachment Definition: 1200(w)*234(h) System: PAL/NTSC Accessories: host*1pcs,remote controller*1pcs,external wire*1pcs,Video wire*1pcs,user's manual*1pcs,warranty card*1pcs,pass certificate*1pcs	60	N/A	N/A	N/A	N/A
7" back mirror		66	N/A	N/A	N/A	N/A	
IC-650H (6inch rearview monitor)		1.glass can be used as a mirror when no picture 2.Adjustable items: brightness, contrast, color 3 Dot pitch: 0.339 x 0.359mm 4.Resolution: 400(H) x 234(V) 5.Contrast: 350:1 /Brightness: 300cd/sqm	49	N/A	N/A	N/A	N/A



Pricelist2 for the LCD Monitor&DVD Player

Item Number	Product picture	Specification	FOB(sz) USD	Color box size (L*W*H)cm	Outside package Carton size(L*W*H)cm	N.W(kg)	G.W(kg)
IC-658H (6inch rearview monitor)		1.half monitor half mirror 2.can connect GPS system 3.Resolution: 400(H) x 234(V) 4.Contrast: 350:1 /Brightness: 300cd/sqm 5.the rearview image automatically switch back car	50	N/A	N/A	N/A	N/A
IC-701HD (7inch rearview monitor)		1.Functions: can add TV function/can add radar and camera for rearview 2.TV system: PAL, NTCS (SECAM can be made) 3.Resolution: 480(H) x 234(V) 4.with built-in SD card port,can play SD card. 5.Contrast: 400:1 /Brightness: 400CD/m ² 6.can make 3 ways input ,connect GPS	77	N/A	N/A	N/A	N/A
IC-701H (7inch rearview monitor)		1.Functions: can add TV function/can add radar and camera for rearview 2.TV system: PAL, NTCS (SECAM can be made) 3.Resolution: 480(H) x 234(V) 4.Contrast: 400:1 /Brightness: 400CD/m ² 5.can make 3 ways input ,connect GPS	62	N/A	N/A	N/A	N/A
IC-700H (7inch rearview monitor)		1.Functions: can add TV function/can add radar and camera for rearview 2.TV system: PAL, NTCS (SECAM can be made) 3.Resolution: 480(H) x 234(V) 4.Contrast: 400:1 /Brightness: 400CD/m ² 5.can make 3 ways input ,connect GPS	55	N/A	N/A	N/A	N/A


Nordgren

Sales

www.nordgrensales.se



Pricelist2 for the LCD Monitor&DVD Player

Item Number	Product picture	Specification	FOB(sz) USD	Color box size (L*W*H)cm	Outside package Carton size(L*W*H)cm	N.W(kg)	G.W(kg)
REARVIEW CAMERA		Special Water-proof camera lens designed for car Compatible to any car monitor TV system: PAL/NTSC Effective Pixels: 628*582(PAL) 510*492(NTSC) Power Supply: DC12V Current Consumption: MAX.200mA Operating Temperature: -10'--46' RH95%MAX	20(W/O LED) 23(With LED)	92' visual angle	with Aiguille and lines		N/A
			27(W/O LED) 29(With LED)	120' visual angle			N/A

REMARK: 1. PRICE TERM: FOB(SHENZHEN) 2. MOQ: 100PCS